High Reality View And Inspiring Display

# LED DISPLAY Q-PRO INDOOR







#### **Energy-saving dual IC**

Use dynamic energy-saving dual PWM-SS ICs to support 4.5V low voltage and dynamic standby to save more energy.



#### 02

#### **High-efficiency copper cables**

Use high-efficiency copper cables to reduce heat generation and energy consumption for longer product life.



03

#### Clear screen without syringe

6000Hz ultra-high refresh rate for comfortable viewing and clear screen without syringe.





#### **High Quality Gray Scale**

Reducing the brightness does not destroy the contrast difference and creates a deeper picture.



05

#### Color representation close to the original

The strict selection of each element and its uniform wavelength and placement enable high-quality display, allowing you to enjoy the color of the content without distortion.





#### **Front and Rear Maintenance**

Easy maintenance from all directions, front and back.



#### Reference



**Konkuk University Glocal Campus** 

Indoor | Q2.5mm | 6,400 X 3,840mm



**IBK Bank Trade Center** 

Indoor | P1.86mm | 7,360 X 2,080mm



**Anyang Gwacheon Chamber of Commerce and Industry** 

Indoor | P2.0mm | 5,120 X 4,000mm



OP.GG

Indoor | P1.25mm | 5,120 X 2,400mm

#### **Indoor Spec**

Pixel Pitch (mm)	1.25	1.53	1.86	2.0	2.5	3.0	4.0
Pixel Configuration	320 X 160						
Purpose	Indoor						
Module Size (WxH)	320 X 160 X 14.5			320 X 160 X 15		320 X 160 X 14	
Module Resolution	256 X 128	208 X 104	172 X 86	160 X 80	128 X 64	104 X 52	80 X 40
Cabinet Size (WxHxD)	640 X 480						
Cabinet Material	Aluminium						
Module quantity	2 X 3 (1 Cabinet)						
Cabinet Weight	7.85 kg						
Brightness(nit)	600 - 800						
Frame Rate(Hz)	6000						
Viewing Angle(H/V)	160° / 160°		150° / 150°		140° / 140°		
Power Consumption	580	/ 194	439	/ 147	457 / 153	413 / 138	465 / 155
IP Grade	IP43						

<sup>\*</sup> Specifications are subject to change without notice.

### **NVA Vision Inc.**

3rd Floor, 69, Anyangcheonseo-ro, Manan-gu, Anyang-si, Gyeonggi-do, Republic of Korea

TEL: 031-443-3311 Contact Us: sales@avavision.co.kr

Website: www.avavision.co.kr

## **LED DISPLAY**

